

# 8 Cup Thermal Brewer from NEWCO

- 40 ounce thermal server keeps coffee hot for hours
- Both automatic and pour-over models now available
- Attractive, space saving models to fit smaller locations
- C-UL listed for commercial use.



MODEL OCS-8




MODEL OCS-8A

- Thermal Server Capacity: 40 oz.-1.3 liters
- Brewer Dimensions Pour-over: 15 1/2"H x 7 1/2"W x 10"D
- Brewer Dimensions Automatic: 15 1/2"H x 7 1/2"W x 12 1/2"D
- Electrical: 120 Volt / 1400 Watt / 11.7 Amps

NEWCO

Celebrating 25 years of innovation

# Newco Introduces... The PC PROGRAM.



**Personal  
Choices...**



**Personal  
Carafes.**

- ☞ Low cost unit allows for each coffee and tea drinker to have their very own Personal Carafe.
- ☞ One Personal Carafe per person allows for more choice in brewing selection.
- ☞ Dramatically increase the number of pots brewed per day.
- ☞ Increased volume means more, smaller accounts can qualify.
- ☞ Use the P.C. program to upgrade your existing accounts.

## **Primary Markets**

- ☞ Offices that currently fall below the minimum usage and purchase requirements. "Over 3 million offices and growing, of 5 people and below. Over 1 million offices with below 10. These locations have no service!"
- ☞ Offices that want to add a gourmet coffee program to their menu. "Customers are demanding a choice in the beverage that they consume and are willing to pay for it."
- ☞ Offices that want a wider variety of coffees and teas. This program is as individual as you want it to be. Offer variety and sell more product.
- ☞ The PC program from Newco. Going places where you have never gone before.

*Celebrating 25 Years of Innovation.*

## A NETWORK OF PC'S WILL OUTPERFORM GLASS BOWLS

Consumers	Glass Bowls		PC Program	
	Pots / Day	Cases / Month	Carafes / Day	Cases / Month
3	2	1	5	2
4	2	1	6	3
5	3	1	8	4
6	3	2	9	5
7	4	2	11	5
8	4	2	12	6
9	5	2	14	7
10	5	3	15	8
11	5	3	17	9
12	6	3	18	9
13	7	3	20	10
14	7	4	21	11
15	8	4	23	12
20	10	5	30	15
25	13	6	38	19
30	15	8	45	23
35	18	9	53	27
40	20	10	60	31
45	23	12	68	35
50	25	13	75	39

- Pots / Day assumes three ten ounce cups per person from sixty ounce pots per day
- Cases / Month assumes a forty-two count case
- Carafes / Day assumes 1.5 PC's per person average per day

## DIMENSIONS FOR P.C. BREWERS

### DIMENSIONS FOR OCS-8

15-1/2" HIGH  
7-1/2" WIDE  
10" DEEP

### DIMENSIONS FOR OCS-8A

15-1/2" HIGH  
7-1/2" WIDE  
12-1/2" DEEP

### DIMENSIONS FOR OCS-DB

16-7/8" HIGH  
14" WIDE  
15 1/2" DEEP


### OCS-8 AND 8-A ELECTRICAL

1000 WATT 120 VOLT 8.3 AMPS

### OCS-DB ELECTRICAL

1750 WATT 120 VOLT 14.6 AMPS

P  
A  
Y  
O  
U  
T



## SPECIFICATIONS

### SERVER

- 1.3 LITER CAPACITY (40 OZ.)
- BREW THROUGH LID WHICH REMAINS IN PLACE WHILE BREWING AND SERVING.
- GLASS LINER KEEPS PRODUCT HOT FOR UP TO 4 HOURS
- DURABLE POLYPROPYLENE CONSTRUCTION FOR LONGER LIFE.
- PRIVATE LABELING AVAILABLE.

### BREWER

- COMMERCIAL GRADE POLYCARBONATE.
- UL & CUL APPROVED.
- POUR OVER AND AUTOMATIC MODELS AVAILABLE.
- DUAL HEAD MODEL FOR HIGH VOLUME ACCOUNTS
- BREW CYCLE BEEPS TO SIGNAL THAT COFFEE IS READY TO SERVE.
- ON AND OFF SWITCH FOR SAFETY
- PRIVATE LABELING AVAILABLE